

## Water-proof range – surface-mounting – unbreakable – IP 54

Article Designation	Colour	Packed	Article No.	Code No.	R
<b>Lockable SCHUKO socket</b> double pole, 16 A 250 V, DIN 49 440, with connecting terminals in compliance with VDE 0620, single, with labelling field 10 x 48.5 mm Identical locks on request. Labelling sheets for laser printer see page 9.	pure white	10	6620.02 WAB Na VS	464011	11
<b>Lock for replacement with 2 keys</b> use as replacement for article no. 6620 WAB Na VS		1	91 VS	589111	1
<b>SCHUKO 2 gang socket</b> double pole, 16 A 250 V, with connecting terminals in compliance with VDE 0620, horizontal* as above, with labelling field 10 x 48.5 mm* *Pre-wired. Fitted with removable PVC cable entries. vertical Labelling sheets for laser printer see page 9.	pure white pure white pure white	5/50 5 5	6632.02 WAB 6632.02 WAB Na 6622.02 WAB	466211 466711 466511	11 11 11
<b>SCHUKO 3 gang socket</b> double pole, 16 A 250 V, DIN 49 440, with connecting terminals in compliance with VDE 0620, horizontal Pre-wired. Fitted with removable PVC cable entries. The bases of these combinations can be exchanged with all bases belonging to the WAB range.	pure white	2	6633.02 WAB	466311	11
<b>Rocker switch with clamp terminals 10 A 250 V AC</b> Universal switch (1 way/2 way switch) Series bridged 1 way switch Intermediate switch 1 way switch double pole Universal switch (1 way/2 way switch), with labelling field 10 x 48.5 mm <b>Rocker switch with screw contacts 10 A 250 V AC</b> 1 way switch 3 pole Venetian blind switch, with electrical interlocking 2 gang independent 2 way switch Labelling sheets for laser printer see page 9.	grey grey grey grey grey grey grey grey	10/100 10/100 10 10 10 10 10 10 10	626 WAB 625 WAB 627 WAB 622 WAB 626 WAB Na 623 WAB 626/4 WAB 626/6 WAB	300611 300511 300711 300211 302611 390311 390411 390611	11 11 11 11 11 11 11 11
<b>Rocker switch with permanent illumination with clamp terminals 10 A 250 V AC</b> Universal switch (1 way/2 way switch), with lighting element  Neon lamp element for replacement see page 8.	grey	10/100	626 WAB GL	302111	11
<b>Rocker switch with indicator lamp with clamp terminals 10 A 250 V AC</b> Universal switch (1 way/2 way switch) 1 way switch double pole  Neon lamp element for replacement see page 8.	grey grey	10/100 10	626 WAB GLK 622 WAB GLK	301611 301211	11 11
<b>Heating emergency switch with clamp terminals 10 A 250 V AC</b> Universal switch (1 way/2 way switch), with indicator lamp 1 way switch double pole, with indicator lamp  Neon lamp element for replacement see page 8.	grey grey	10/100 10	626 WAB HN 622 WAB HN	302011 302211	11 11
<b>Pushbutton switch 10 A 250 V AC with clamp terminals, with various symbols</b> (10-65 L; 3-65 T; 2-65 K; 1-65 N; 1-65 red) (For replacement symbols see page 131) Single pole, push to make switch <sup>1)</sup> Single pole, push to make switch, with 2 separate terminals for lighting element <sup>1)</sup> Single pole, series bridged 1 way switch, 2 push to make switch (without symbols) 2 way pushbutton switch as above, with indicator lamp, single pole, push to make switch <b>Pushbutton switch 10 A 250 V AC with screw terminals</b> 2 gang independent 2 way pushbutton switch  Can also be used as a venetian blind pushbutton switch with electrical interlocking. <sup>1)</sup> can be illuminated with the aid of neon lamp/ filament lamp elements, see page 8. Neon lamp element for replacement see page 8.	grey grey grey grey grey	10/100 10 10 10 10/100 10	655 WAB 655/4 WAB 625 T WAB 656 WAB 655 WAB GLK 629 T WAB	303111 390511 390811 303611 304111 390911	11 11 11 11 11 11

Water-proof range